

# PatentIn.prjSubstitute.ST25.txt SEQUENCE LISTING



<110> Cyclacel

 $<\!\!120\!\!>$  Compositions and Methods for Monitoring the Modification of Modification Dependent Binding Partner Polypeptides

- <130> 10069/1062
- <140> 09/770102
- <141> 2001-01-25
- <150> US 60/179283
- <151> 2000-01-31
- <160> 57
- <170> PatentIn version 3.1
- <210> 1
- <211> 17
- <212> PRT
- <213> Unknown
- <220>
- <223> ADP-ribosylation domain
- <220>
- <221> DOMAIN
- <222> (1)..(17)
- <223> ADT-ribosylation site
- <400> 1

```
PatentIn.prjSubstitute.ST25.txt
Met Leu Cys Cys Met Arg Arg Thr Lys Gln Val Glu Lys Asn Asp Asp
1 10 15
Asp
<210> 2
<211> 10
<212> PRT
<213> Unknown
<220>
<223> ADP-ribosylation site
<220>
<221> DOMAIN
<222> (1)..(10)
<223> ADP-ribosylation site
<400> 2
Phe Lys Gln Arg Gln Thr Arg Gln Phe Lys 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 3
<211> 30
<212> PRT
<213> Unknown
<220>
<223>
       ubiquitination site
<220>
<221> DOMAIN
<222> (1)..(30)
<223> ubiquitination site
<400> 3
```

Met Phe Gln Ala Ala Glu Arg Pro Gln Glu Trp Ala Met Glu Gly Pro 1 5 10 15

<210> 4

<211> 21

<212> PRT

<213> Unknown

<220>

<223> ubiquitination site

<220>

<221> DOMAIN

<222> (1)..(21)

<223> ubiquitination site

<400> 4

His Gly Ser Gly Ala Trp Leu Leu Pro Val Ser Leu Val Lys Arg Lys 1 10 15

Thr Thr Leu Ala Pro-20

<210> 5

<211> 10

<212> PRT

<213> Unknown

<220>

<223> O-GlcNAc site

<220>

<221> DOMAIN

<222> (1)..(10)

```
PatentIn.prjSubstitute.ST25.txt
<223> O-GlcNAc site
<400> 5
Gly Thr Thr Ser Thr Ile Gln Thr Ala Pro 1 	 5 	 10
<210> 6
<211> 12
<212> PRT
<213> Unknown
<220>
<223> O-GlcNAc site
<220>
<221> DOMAIN
<222> (1)..(12)
<223> O-GlcNAc site
<400> 6
Ser Ala Val Ser Ser Ala Asp Gly Thr Val Leu Lys 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 7
<211> 18
<212> PRT
<213> Unknown
<220>
<223> O-GlcNAc site
<220>
<221> DOMAIN
<222> (1)..(18)
```

<223> O-GlcNAc site

```
<400> 7
Asp Ser Ser Thr Asp Leu Thr Gln Thr Ser Ser Ser Gly Thr Val Thr 10 15
Leu Pro
<210> 8
<211> 12
<212> PRT
<213> Unknown
<220>
<223> O-GlcNAc site
<220>
<221> DOMAIN
<222> (1)..(12)
<223> O-GlcNAc site
<400> 8
Met Ala Gly Gly Pro Ala Asp Thr Ser Asp Pro Leu 1 \hspace{1cm} 5 \hspace{1cm} 10
<210> 9
<211> 13
<212> PRT
<213> Unknown
<220>
<223> O-GlcNAc site
<220>
<221> DOMAIN
<222> (1)..(13)
<223> O-GlcNAc site
```

```
<400> 9
Ala Gln Thr Ile Thr Ser Glu Thr Pro Ser Ser Thr Thr 10
 <210> 10
 <211> 8
 <212> PRT
 <213> Unknown
<220>
<223> Consensus sequence
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Xaa at position 6 may be any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> Xaa at position 3 may be any amino acid
<400> 10
Arg Arg Xaa Arg Arg Xaa Ser Thr 5
<210> 11
<211> 5
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
```

```
<221> DOMAIN
<222> (1)..(5)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> X at posistion 2, 3, and 5 can be any amino acid
<400> 11
Lys Xaa Xaa Ser Xaa
1 5
<210> 12
<211> 3
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(3)
<223> Consensus sequence, Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(3)
<223> X at posistion 2 can be any amino acid
<400> 12
Arg Xaa Thr
```

```
<210> 13
<211> 5
<212> PRT
<213> Unknown
<220>
<223>
       Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(5)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> X at posistion 2, 3, and 5 can be any amino acid
<400> 13
Arg Xaa Xaa Ser Xaa
1 5
<210> 14
<211> 4
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(4)
<223> Consensus sequence, each Xaa is any amino acid
                                      Page 8
```

```
<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> X at posistion 1 and 4 can be any amino acid
<400> 14
Xaa Ser Arg Xaa
<210> 15
<211> 8
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(8)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> X at posistion 1, 3, 4, 6 and 8 can be any amino acid
<400> 15
Xaa Arg Xaa Xaa Ser Xaa Arg Xaa
1 5
<210> 16
<211> 6
```

```
PatentIn.prjSubstitute.ST25.txt
 <212> PRT
 <213> Unknown
 <220>
 <223>
      Consensus sequence
 <220>
 <221>
       DOMAIN
 <222>
      (1)..(6)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> X at posistion 1, 3, 4, and 6 can be any amino acid
<400> 16
Xaa Arg Xaa Xaa Ser Xaa
1 5
<210> 17
<211> 6
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
                 . • . .
<221> DOMAIN
<222> (1)..(6)
<223> Consensus sequence
<400> 17
Ser Glu Leu Ser Arg Arg
```

```
PatentIn.prjSubstitute.ST25.txt
1
<210> 18
<211> 6
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(6)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> X at posistion 1,3,4, and 6 can be any amino acid
<400> 18
Xaa Ser Xaa Xaa Ser Xaa
1 5
<210> 19
<211> 5
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
```

<221> DOMAIN

<222> (1)..(5)

```
PatentIn.prjSubstitute.ST25.txt
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> X at posistion 1, 3, and 5 can be any amino acid
<400> 19
Xaa Ser Xaa Glu Xaa
1 5
<210> 20
<211> 7
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(7)
<223> Consensus sequence, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(7)
<223> X at poaiation a, 3, 4, 5, and 7 can be any amino acid
<400> 20
Xaa Ser Xaa Xaa Ser Xaa
1 5
<210> 21
<211> 9
```

- <212> PRT <213> Unknown <220> <223> Consensus sequence <220> <221> DOMAIN <222> (1)..(9) <223> Consensus sequence <400> 21 Gly Ser Ser Lys Ser Lys Pro Lys Asp  $\frac{1}{5}$ <210> 22 <211> 9 <212> PRT <213> Unknown <220> <223> Consensus sequence
- <220> <221> DOMAIN
- <222> (1)..(9)
- <223> Consensus sequence
- <400> 22
- Gly Cys Ile Lys Ser Lys Arg Lys Asp
- <210> 23
- <211> 9
- <212> PRT

```
<213> Unknown
<220>
<223>
       Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 23
Gly Cys Ile Lys Ser Lys Glu Asp Lys 5
<210> 24
<211> 9
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 24
Gly Cys Val Gln Cys Lys Asp Lys Glu 1
<210> 25
```

**ZIOZ** ZJ

<211> 9

<212> PRT

<213> Unknown

```
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 25
Gly Cys Thr Leu Ser Ala Glu Asp Lys 5
<210> 26
<211> 9
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 26
Gly Cys Ile Lys Ser Lys Arg Lys Asp
<210> 27
<211> 9
<212> PRT
<213> Unknown
```

<220>

```
PatentIn.prjSubstitute.ST25.txt
<223> Consensus sequênce
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 27
Gly Cys Val Gln Cys Lys Asp Lys Glu 1
<210> 28
<211> 9
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
<220>
<221> DOMAIN
<222> (1)..(9)
<223> Consensus sequence
<400> 28
Gly Cys Thr Leu Ser Ala Glu Asp Lys 5
<210> 29
<211> 4
<212> PRT
<213> Unknown
<220>
<223> Consensus sequence
```

<220>

```
<221> DOMAIN
<222> (1)..(4)
<223> Consensus sequence, Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(4)
<223> X at posistion 2 can be any amino acid
<400> 29
Asn Xaa Ser Thr
<210> 30
<211> 4
<212> PRT
<213> Unknown
<220>
<223> C-terminal sequence
<220>
<221> SITE
<222> (1)..(4)
<223> C-terminal sequence
<400> 30
His Ser Thr Val
<210> 31
<211> 92
<212> DNA
<213> Artificial Sequence
```

<220>		
<223>	Synthetic primer	
<220>		
<221>	misc_feature	
<222>	(1)(92)	
<223>	Synthetic primer	
<400> gggggg	31 pagct ctgggaggcg gaggtggagg gctgatgcgc cagctgcagg atgaagttga	60
agaact	ggaa caggaaaact ggcatctgca ga	92
<210>	32	
<211>	96	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Synthetic primer	
<220>		
<221>	misc_feature	
<222>	(1)(96)	
<223>	Synthetic primer	
<400>	32 tcga gttattaaac ttcggcttcc aggcactgaa cttcacgcag cagacgggca	60
	ttct gcagatgcca gttttcctgt tccagt	96
<210>	33	
<211>	37	
<212>	PRT	
<213>	Unknown	
<220>		

<223> Coiled-coil sequence

<220>

<221> DOMAIN

<222> (1)..(37)

<223> Coiled coil sequence

<400> 33

Leu Met Arg Gln Leu Gln Asp Glu Val Glu Glu Leu Glu Gln Glu Asn 10 15

Trp His Leu Gln Asn Glu Val Ala Arg Leu Leu Arg Glu Val Gln Cys 20 25 30

Leu Glu Ala Glu Val 35

<210> 34

<211> 37

<212> PRT

<213> Unknown

<220>

<223> Coiled coil sequence

<220>

<221> DOMAIN

<222> (1)..(37)

<223> Coiled coil sequence

<400> 34

Trp His Leu Ala Asn Gln Val Ala Arg Leu Arg Gln Arg Val Cys Glu 20, 25 30

Leu Lys Ala Arg Val 35

<210>	35	
<211>	80	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Synthetic primer	
<220>		
<221>	misc_feature	
<222>	(1)(80)	
<223>	Synthetic primer	
<400>	35 ctag ctcttacaag ggtattgctc agttggagca ggaaatcgcc caattagaac	60
	atgc acaacttgaa	80
J	3 · · · · · · · · · · · · · · · · · · ·	00
<210>	36	
<211>	73	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
	Synthetic primer	
<220>	· ·	
	misc_feature	
	(1)(61)	
<223>	Synthetic primer	
<400> gggcate	36 cgat ttcctgctca agctgagcga tctcttgttc aagttgtgca ttttcttgtt	60
	gggc gat	73
<210>	37	

```
<211>
        31
<212>
       PRT
<213>
       Unknown
<220>
<223>
       Sequence for cloning
<220>
<221>
       DOMAIN
<222> (1)..(31)
<223> Sequence for cloning
<400> 37
Tyr Lys Gly Ile Ala Gln Leu Glu Gln Glu Ile Ala Gln Leu Glu Gln 10 15
Glu Asn Ala Gln Leu Glu Gln Glu Ile Ala Gln Leu Glu Gln Glu
20 25 30
<210> 38
<211>
       38
<212> PRT
<213> Unknown
<220>
<223> Coiled coil sequence
<220>
<221> DOMAIN
<222> (1)..(38)
<223> Coiled coil sequence
<400> 38
```

Tyr Lys Gly Ile Cys Gln Leu Arg Gln Arg Ile Ala Gln Leu Arg Gln 10 15

# PatentIn.prjSubstitute.ST25.txt Arg Asn Ala Gln Leu Arg Gln Arg Ile Ala Gln Leu Arg Gln Arg Ile 20 25 30 Ala Gln Leu Arg Gln Arg 35 <210> 39 <211> 36 <212> PRT <213> Artificial Sequence <220> <223> Synthetic peptide <220> <221> PEPTIDE <222> (1)..(36) <223> Synthetic peptide <400> 39 Arg Cys Lys Phe Ser Arg Ser Ala Glu Pro Pro Ala Tyr Gln Gln Gly 10 15 Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr 20 25 30 Asp Val Leu Asp 35 <210> 40 <211> 36 <212> PRT <213> Artificial Sequence <220> <223> Synthetic peptide

<220>

<221> PEPTIDE

<222> (1)..(36)

<223> Synthetic peptide

<400> 40

Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr 20 25 30

Asp Val Leu Asp 35

<210> 41

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic primer

<220>

<221> misc\_feature

<222> (1)..(33)

<223> Synthetic primer

<400> 41 gggatccata tgccagaccc cgcggcgcac ctg

<210> 42

<211> 33

<212> DNA

<213> Artificial Sequence

<220>

<223> Synthetic primer

33

```
PatentIn.prjSubstitute.ST25.txt
 <220>
 <221>
      misc_feature
 <222> (1)..(33)
 <223> Synthetic primer
 <400> 42
 ggaattcggg cactgctgtt ggggcaggcc tcc
                                                                      33
 <210> 43
 <211> 23
 <212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic primer
<220>
<221> misc_feature
<222> (1)..(23)
<223> Synthetic primer
<400> 43
gggggcccag agtgaagttc agc
                                                                     23
<210> 44
<211> 23
<212> DNA
<213> Artificial Sequence
<220>
<223> Synthetic primer
<220>
<221> misc_feature
<222> (1)..(23)
<223> Synthetic primer
```

<400> ggggg	44 cccga gcccccgcg tac	23
<210>	45	
<211>	23	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Synthetic primer	
<220>		
<221>	misc_feature	
<222>	(1)(23)	
<223>	Synthetic primer	
<400> gggggc	45 ccaa ccagctctat aac	23
<210>	46	
<211>	23	
<212>	DNA	
<213>	Artificial Sequence	
<220>		
<223>	Synthetic primer	
<220>		
<221>	misc_feature ·	
<222>	(1). (23)	
<223>	Synthetic primer	
<400> 46 ggggatccgc gagggggcag ggc		

```
PatentIn.prjSubstitute.ST25.txt
<210> 47
<211>
      36
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Synthetic peptide
<220>
<221> PEPTIDE
<222> (1)..(36)
<223> Synthetic peptide
<400> 47
Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg Glu Glu Tyr 20 25 30
Asp Val Leu Asp
35
<210> 48
<211> 6
<212> PRT
<213> Unknown
<220>
<223> Cleavage site
<220>
<221> MISC_FEATURE
<222> (1)..(6)
<223> X at posistion 6 can be any amino acid
```

<220>

```
<221> SITE
 <222> (1)..(6)
 <223> Clavage site, X can be any mino acid
<400> 48
Trp Leu Glu His Asp Xaa 1 5
<210> 49
<211> 5
<212> PRT
<213> Unknown
<220>
<223> Cleavage site
<220>
<221> SITE
<222> (1)..(5)
<223> Cleavage site, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> X at posistion 3 and 5 can be any amino acid
<400> 49
Asp Glu Xaa Asp Xaa
1 5
<210> 50
<211> 6
<212> PRT
```

<213> Unknown

```
<220>
 <223>
      Cleavage site
 <220>
 <221> SITE
 <222> (1)..(6)
 <223> Cleavage site, Xaa is any amino acid
 <220>
 <221> MISC_FEATURE
 <222> (1)..(6)
<223> X at posistion 4 and 6 can be any amino acid
<400> 50
Leu Val Glu Xaa Asp Xaa
1 5
<210> 51
<211> 5
<212> PRT
<213> Unknown
<220>
<223> Cleavage site
<220>
<221> SITE
<222> (1)..(5)
<223> Cleavage site, Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(5)
<223> X at posistion 5 can be any amino acid
                                      Page 28
```

```
<400> 51
 Ile Glu Gly Arg Xaa
1 5
 <210> 52
 <211> 8
 <212> PRT
 <213> Unknown
 <220>
<223> Cleavage site
<220>
<221> SITE
<222> (1)..(8)
<223> Cleavage site, each Xaa is any amino acid
<220>
<221> MISC_FEATURE
<222> (1)..(8)
<223> X at posistion 3 and 5 can be any amino acid
<400> 52
Glu Asn Xaa Tyr Xaa Gln Ser Gly
5
<210> 53
<211> 5 ...
<212> PRT
<213> Artificial Sequence
<220>
<223> Tag peptide
```

<220>

<221> PEPTIDE

<222> (1)..(5)

<223> Tag peptide

<400> 53

Arg Tyr Ile Arg Ser 1 5

<210> 54

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Tag peptide

<220>

<221> PEPTIDE

<222> (1)..(6)

<223> Tag peptide

<400> 54

Asp Thr Tyr Arg Tyr Ile 1 5

<210> 55

<211> 6

<212> PRT

<213> Artificial Sequence

<220>

<223> Tag peptide

<220>

<221> PEPTIDE

```
PatentIn.prjSubstitute.ST25.txt
 <222> (1)..(6)
 <223> Tag peptide
 <400> 55
Thr Asp Phe Leu Tyr Lys 1
 <210> 56
<211>
       9
<212> PRT
<213> Artificial Sequence
<220>
<223>
      Tag peptide
<220>
<221> PEPTIDE
<222> (1)..(9)
<223> Tag sequence
<400> 56
Glu Glu Glu Tyr Met Pro Met Glu 1
<210> 57
<211> 11
<212> PRT
<213> Artificial Sequence
<220>
<223> Tag peptide
<220>
```

<221> PEPTIDE

<222> (1)..(11)

<223> Tag sequence '

<400> 57

Lys Pro Pro Thr Pro Pro Pro Glu Pro Glu Thr  $1 \hspace{1cm} 10$